MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

(Land Document, 7/12 Extracts, Title Verification, Building Deed, Building Approved Final plan by Corporation/Municipal Council, Hospital, College Architect Certified Rooms sizes (Dimensions)

Constructed Area – College Hospital, Hostel, Accommodation)

INFRASTRUCTURE

SN		Particulars to be verified	Details on College Website	Adequate/ Inadequate
		COLLEGE	-	
1	of (Ve up No	and details: Total land, owner, unitary or not, NA of all land, 7/12 extracts all land (Applicable only to Private Colleges). Berify land documents & Government permissions documents are loaded on College Website. Land/ Construction documents shall be submitted to the University. Bly deficit information to be pointed out to the University).	Yes	Adequate
2	To	tal constructed area of college building (Minimum 5 acres of land)		
	a) b) c) d)	Dean's room Administrative Officers' room Meeting room Office	Yes	Adequate
	e) f)	Office Stores Pantry etc.		
3	Lib	rary: 4204 Sq. Ft. consisting of:		
	a)	Reception & waiting, Property counter		
	b)	Issue counter		
	c)	Photocopying area		Adequate
· *	d)	Reading room to accommodate 50% of total students strength		~
	e)	Postgraduates & staff reading room		
	f)	Journal room	Yes	
	g)	Audio-visual room		
	h)	Chief librarian room		
	i)	Stores and stocking area		
	j) •	E-Consortium provision to be provided in the College Library connected with the National Medical Library		
4	sea ove	ture Halls – 4 (3789 Sq. Ft.)Sq. Ft. th hall to accommodate 10% more of admission strength with proper lating arrangement, blackboard, microphone and facilities for slide, erhead and multi-media projection.	Yes	Adequate
5	Wit	th proper storing facilities like racks and refrigerator, preferably npact storage systems.	Yes	Adequate
6		intenance room:600 Sq. Ft.		
	Equ uni	uipped with proper facilities to maintain and repair dental chairs and ts and various other equipments in the college and hospital.	Yes	Adequate
7	Pho	chorography and artist room: 805 Sq. Ft. The proper studio facilities for clinical photography, developing, paration of slides, charts, models etc.	Yes	Adequate

		N	
Medi	cal stores	NA	NA
	ed with all the necessary drugs usually prescribed in a dental hospital.	Yes	Adequate
 Control of the control of the control	nities area 2000 Sq. Ft.	Yes	Adequate
	oys' and Girls' locker rooms	Yes	Adequate
	oys' and Girls' common rooms	Yes	Adequate
	common room for non-teaching staff	Yes	Adequate
	Common room for teaching staff	TOTAL COLO	-
e) (Change room for men	Yes	Adequate
	Change room for women	Yes	Adequate
0 Com	pressor and room for gas plant:22x12Sq. Ft.	Yes	Adequate
	uate to accommodate required capacity compressors, gas cylinders		
etc.	ition control measures:	Yes	Adequate
1 Pollu	ne dental institutions shall take adequate pollution control measures by		
All ti	iding incarnation plant, sewage water treatment plant, landscaping of		
	campus etc.		
2011	teria 720Sq. Ft.	Yes	Adequate
\A/i+l	accommodation for 100 people with kitchen, stores, washing area etc.		
Univ	versity Examination Infrastructure:	Yes	Adequate
The second second	mination Hall 2280Sq. Ft.	Yes	Adequate
_ A ss	parate hall for university and other examination furnished with chairs		1,000
and	individual tables to accommodate 250 students at a time.		
-	ng Room:	Yes	Adequate
Stro	ng Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard		
_ 1	d) CCTV, Photocopier Machine, Examination hall with benches, Parking		
Eac.	lity for University vehicle, Guest house facility		
14 Hos	tels:	Yes	Adequate
Hos	tel accommodation shall be provided for all boys and girls based on onber of admissions in the Dental College campus itself. The commodation may be increased in a phased manner over a period of 4		
yea			
Sta	ff quarters:	Yes	Adequate
ΔII	the staff members, teaching and non-teaching working in the institution		
ch	Il he provided adequate accommodation in the 5 acres land earmarked	12	
for	the college. The staff quarters may be built in a phased manner over a		
	riod of 4 years.	NA!	
15 Pla	y ground:	Yes	Adequate
Th	ere shall be facilities for both indoor and out-door games in the premises.		
	ditorium:	Yes	Adequate
Sh	ould accommodate at least 500 people and consisting of:		
Pr	oper seating arrangements, reception counter, green rooms, lobby, fitted		
wi	th sound system, slide and multimedia presentation facility.		
,	HOSPITAL		
17 i)	Own Hospital:	Yes	Adequate
ii)	O.P.D.	Yes	Adequate
iii)	I.P.D.	Yes	Adequate
iv)	Bed Strength	Yes	Adequat
1	Annual Occupancy	Yes	Adequat
v)	CONTRACTOR	Yes	Adequat
vi)	ICCU Bed Strength	Yes	Adequat
vii	- 285 (Fig.) - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	Yes	Adequat
vii	Control of the second of the s	Yes	Adequat
ix)	Equipment's		-
(x)	Paramedical Staff	Yes	Adequat

xi)	Space	Yes	Adequate
xii)	Student: Patient Ratio	Yes	Adequate
	Laboratories:		Adequate
	I. Dental subjects:		Adequate
a)	Pre-clinical Prosthodontics and dental material lab – 1530 Sq. Ft.	Yes	Adequate
b)	Pre-clinical Conservative lab 1184 Sq. Ft.	Yes	Adequate
c)	Oral biology and oral pathology lab 780Sq. Ft.	Yes	Adequate
d)	Laboratory for Orthodontics and paedodontics 1300Sq. Ft.	Yes	Adequate
	II. Medical Subjects: (only for independent dental colleges):1650Sq. Ft.		Adequate
a)	Anatomy dissection hall with storage for cadaver, osteology, demonstration room etc. Area 1650Sq. Ft.	Yes	Adequate
b)	One laboratory for physiology and pathology and microbiology with stores and preparation rooms for individual subjects attached to it. Area 1650Sq. Ft.	Yes	Adequate
c)	Laboratory for biochemistry and pharmacology with store and preparation rooms separately for both subjects 1650Sq. Ft.	Yes	Adequat
	III. Clinical:		Adequat
a)	Prosthodontics – Plaster room Polymer room Wax room Casting laboratory Ceramic lab1530Sq. Ft.	Yes	Adequate
b)	Conservative Dentistry – Plaster room Casting & Ceramic laboratories1184Sq. Ft.	Yes	Adequat
c)	Oral pathology for histopathology390 Sq. Ft.	Yes	Adamia
d)	Haematology and clinical biochemistry: a laboratory for routine blood and biochemical investigation and urine analysis 390. Ft.Sq	Yes	Adequate
	Distilled Water Plant	Yes	
	Medical College Attachment		
a)	Own Medical College?	Yes	
b)	Private Medical College?	No	
c)	Govt. Medical College?	Yes	
d)	Name & address of the Medical College: Govt. Medical College, Chhatrapati Sambhajinagar	ies	
e)	E-mail address & contact number:02402402412-17		
f)	Is the Medical College duly recognized by Medical Council of India?	Yes	
g)	Distance from Dental college to Medical college by 100 metre (please clarify as to whether you have physically verified /taking the reading of Taxi/Car Meter) by ticking yes or no	Yes	_
h)	Whether MOU is signed by competent Authorities between Medical and Dental College for teaching purpose?	Yes	,
i)	Validity Period of MOU	Both are Govt. Colleges	
j)	Whether the above mentioned Medical College is attached to any other Dental College other than the proposed dental college?	NA	
	GOI Notification No. & Dated	NA	

stu	dents drawn up in accordance with the parameters prescribed by /NABH (applicable if Medical College is more than 10 kms away).		Adequate
a)	Own Hospital?	Yes	
b)	Medical College Hospital?	Yes	
c)	Private College Hospital?	No	
d)	Govt. General Hospital?	Yes	
e)	Whether the permission of the attached 100 bedded hospital is issued by the competent authority?	Yes	
f)	Name & address of the Hospital		
g)	Name of the CMO with Tel No. & Mobile No.:		
h)	Name of the Issuing Competent Authority:		
i)	Distance of the hospital from the Dental College by road	Yes	

Total number of beds in Hospital: 1177

Category-wise bed distribution:

			Occu	pancy	800
Department	Required	Alloted	During last 6 months	On the day of inspection	Remarks of the Inspector
General Ward – Medical including allied specialities	30	100%	14227		
General Ward – Surgical including allied specialities	30	100%	4774		
Private Ward (A/C Non A/C	9	100%	11844		
Maternity Ward	15	100%	6226	-	
Pediatric Ward	6	100%	400		
Intensive Care Services (4% of bed strength)	4	100%	100		
Critital Care Services (6% of bed strength)	6	100%	100		-

Area Requirements (As per BIS/NABH)

9-100-9	Required	Available
Covered Area	20 sq.m. / bed	Adequate
npatient Services	40%	Adequate
Outpatient Services	35%	Adequate
Department and supportive services	25%	Adequate

Dean / Principal Stamp & Signature

Dean,

Govt. Dental College & Hospital, Chhatrapati Sambhajinagar

(9)

GOVERNMENT DENTAL COLLEGE AND HOSPITAL AURANGABAD

Total Built up area of the dental college and hospital building 81042.383 sqft

Ground floor

25436.838 sqft

First floor

25271.481 sqft

Second floor & Third Floor

30340.065 sqft

Ground floor

Sr.No.	Name	Area
1	Principal's Room	418.63 sqft
2	Computer room	231.03 sqft
	College council room	388.62 sqft
3		261.63 sqft
4	Administrative officer's room	1985.34 sqft
5	Office	54.02 sqft
6	Stenographer's room	
*7	Boys common room	1133.76 sqft
8	Girls common room	1133.76 sqft
9	Library(including reading room)	8000 sqft
10	Central stores	1308.86 sqft
11.	Auditorium	3600 sqft.
111	Hostel for Boys and girls	33352.868 sqft
12	Company of the contract of the	1800 sqft
13	Lecture theatre 1	1800 sqft
14	Lecture theatre 2	189 sqft
15	Lecture theatre 3	
16	Seminar room	189 sqft
17	Academic section	264.69 sqft
18	Preclinical Prosthodontics	1184sqft
19	Preclinical Conservative dentistry	1184 sqft
20	Oral Pathology laboratory	806 sqft

Govt. Dental College & Hospita Aurangabad.

Department of Oral Medicine and Radiology

Sr. No	Name	Area
1	Registration room	255 sqft
2	Central Clinic	405 sqft
3	Side room	180 sqft
4	Head of the dept 's room	255 sqft
5	Special clinic	120 sqft
6	X ray Room	120 sqft
7	Dark rooin	96 sqft
8	Cephalogram and Extra Oral X ray Room	255 sqft
9	Other rooms	442 sqft
10	Stores	88 sqft
110	Waiting room	119 sqft

Gymkhana room

312 sqft

Miscellaneous stores

288 sqft

Workshop

1645 sqft including record room

First floor

Department of Oral and Maxillofacial Surgery

1074145300	Name	Area
Sr. no.	Name	1757 sqft
1	Central clinic	427 St (30)
2	Head of Dept 's room	204 sqft
. 2	Minor Operation Theatre	120 sqft
3	Minor Operation Theatre	360 sqft
4	Other rooms	FI ST W C ST
45	Operation theatre	3514 sqft + 931 sqft

Department of Periodontics

		Area
Sr. No.	Name	1757 sqft
1	Central Clinic	
	Head of Dept's room	204 sqft
2	Fig. 19 Control of Con	450 sqft
3	Post graduate Clinic	450 sqft
4	Associate Professor's room	
5	Seminar room	255 sqft
3		96 sqft
6	Special surgery	

Govt. Dental College & Hospita Aurangabad.

Department of Community Dentistry

Sr. No.	Name	Area
- 1	Museum	255 sqft
2	Professor's room	204 sqft
3	Central Clinic	706 sqft
4	Artist	340 sqft
5	Photographer	17
6	Stores:	805 sqft
		288 sqft

Department Oral Pathology and Microbiology

Sr. No.	Name	Area
I	Professor Room	
2	Associate Professor's Room	255 sqft
3	Histopathology Laboratory	119 sqft
4	Clinical Pathology Laboratory	390 sqft
5	100	390 sqft
6	Microbiology room	330 sqft
7	Lecturer Hall	312 sqft
1	Seminar room	390 sqft
8	Oral Anatomy& Oral Pathology Laboratory	806 sqft
9	Stores	144 sqft

Second Floor and Third Floor

Department of Conservative Dentistry

Sr. No	Name	Area
1	Central Clinic	1757 sqft
2	Professor's room	255 sqft
3	Post Graduate Clinic	465 sqft
4	Special Clinic	96 sqft
5	Stores	391 sqft
6	Pre_Cli Laboratory	1184 sqft
7	Side Room	140 sqft
8	Asso. Professor Room	165 sqft
9	Stores (II)	140 sqft

Department of Pedodontics

Sr. No.	Name	Area
1	Central Clinic	1757sqft
2	Professor's room	204 sqqft
3	Other rooms	620 sqft

Govt. Dental College & Hospita Aurangabad.

Department of Orthodontics

Sr. No	Name	Area
1	Central Clinic	1757 sqft
2	Professor's room	204 sqft
3	Associate Professor's room	187 sqft
hr 4	Other rooms	639 sqft

Department of Prosthodontics

Name	Area
Central Clinic	1757 sqft
Post Graduate Clinic	598 sqft
Professor's room	204 sqft
Associate Professor's room	180 sqft
Special Clinic	96 sqft
Pre- Clinical Laboratory	1530 sqft
	Central Clinic Post Graduate Clinic Professor's room Associate Professor's room Special Clinic

Sr. No.	Name	Area
1	Auditorium	1800 sqft
2	Conference Hall (Exam Hall)	1500 sqft
3	Central-Assessment Room	800 sqft
4	Seminar/ Lecture Hall	800 sqft

In both the departments, additional area of the waiting space for patients, corridors and toilets available.

(Dr. Maya S. Indurkar)
DEAN,
Govt. Dental College & Hospital,
Aurangabad.